



GoBook® VR-1

Semi-Rugged Notebook

WIRELESS

- Integrated GPS & Wireless (4 concurrent: Wi-Fi, WWAN, GPS and Bluetooth)
- GPS with SiRF III software and firmware
- Built-in wireless upgrade flexibility (CRMA™ Express)
- NetMotion Mobility XE to seamlessly transition from WWAN to WLAN to 10/100/1000 Ethernet
- Intel® PRO/Wireless 2915ABG network connections 802.11 a/b/g
- Supports both GPRS/EDGE and 1xRTT/EV-DO

TOUGH

- Magnesium Alloy Case
- Shock Mounted HDD & Display
- Spill Resistant Keyboard and Palm Rest area
- MIL-STD 810F vibration, temperature and humidity
- 30" drop tested

PERFORMANCE

- 2.0 GHz Intel® Pentium® M Processor
- Up to 2GB RAM
- Intel® 915GM Express Graphics Memory Controller hub with Intel® Graphics Media Accelerator 900 featuring DVM T 3.0 and 128MB video memory
- Auto adjusting hi-bright LCD screen with integrated touch panel

SECURITY

- Fingerprint Scanner
- SmartCard Reader for access 'Gate Keeping'
- Removable HDD

The rugged features your field deployed workers expect at a price you can afford.

The very reliable GoBook VR-1 provides superior vibration, water ingress, operating temperature and drop shock characteristics than typical semi-rugged or consumer laptops. Fully optimized for your 'on-the-go' mobile workforce, the vehicle-ready VR-1 can withstand extreme temperatures (-20° to 60° C (-4° to 140° F)); humidity (95% RH); spills on the keyboard and palm rest area (up to 100cc within five seconds); punishing 30 inch drops; and bone-jarring vibrations from constant in-vehicle fleet use.

Performance

Not only did we outfit this laptop with ALL the rugged features you need, we also included the powerful Intel® Pentium® M 2.0 GHz Processor, 533 MHz FSB, 2MB L2 cache. Utilizing the Intel® Graphics Media Accelerator 900 the VR-1 enables advanced graphics manipulation for intense applications, while maintaining speed and performance. And it even has an auto-adjusting LCD screen that adapts to changing light conditions to conserve battery life.

Ultimate Wireless

Building on the Itronix legacy for high-performance enterprise wireless solutions, the VR-1 offers a full range of radio options; simultaneously operating up to four, including: Bluetooth, 802.11a/b/g, either 1xRTT / EV-DO or GPRS/ EDGE, and an optional Integrated GPS module, which features a highly optimized Quadrifilar Helix antenna for maximum satellite positioning access. For the ultimate in mobility between networks, the VR-1 offers Netmotion software, which allows users to dynamically and seamlessly travel in their active sessions between LAN, WLAN, and WWAN. In addition, the unique Common Radio Module Architecture Express (CRMA® EXPRESS) allows for seamless plug-and-play integration of radios as wireless technologies evolve, further extending the 'return on investment' (ROI) of your semi-rugged notebook computer.

Security

No we did not forget security, the VR-1 comes standard with a removable hard disk drive and can be equipped with fingerprint scanner and Smart Card (CAC) reader for secured access 'gate keeping'.

Product Specifications

Durability Features:

- Magnesium Alloy Case
- Shock-Mounted Removable HDD
- Shock Mounted Display
- Spill Resistant Keyboard and Palm Rest Area
- MIL-STD 810F vibration, temperature and humidity
- 30" Drop Shock resistant (six drops)

CPU:

- Intel® 2.0 GHz Intel® Pentium® M Processor + 533 MHz FSB
- 2 MB L2 Cache

Storage & Memory:

- 40 GB removable shock mounted 6.35cm (2.5") HDD standard
- 80 GB HDD optional
- Optional HDD Heater 40 GB and 80 GB
- 512MB DDRII DRAM standard, 512MB & 1024MB DDRII DRAM upgrades
- 512 MB base, upgradable to 1.0GB, 1.5GB, and 2.0GB configurations

Display:

- Shock Mounted 12.1" XGA Transmissive, outdoor readable, TFT Active Matrix Color LCD
- Integrated Touch Panel
- External video support up to 2048 x 1536 at 4 billion colors (32 bit color depth)

Video Graphics:

- Intel® 915GM Express Graphics Memory Controller hub with Intel® Graphics Media Accelerator 900 featuring DVMT 3.0 and 128MB video memory

Audio:

- Internal microphone and (2) speakers PCI Audio with AC97 compliance

Expansion Slots:

- Type II PC Card Slot, standard
- Optional PCI Express
- Optional SmartCard Reader

Multimedia Pocket:

- CD-RW Options: DVD-ROM/CD-RW or DVD-RW/CD-RW

Keyboard & Input:

- Standard notebook keyboard layout, 84 full-size 19mm pitch keys
- 3-button capacitive touch pad for optimum bare hand operation

Interface:

- 56k modem, 10/100/1000 Ethernet
- 2x USB 2.0
- PC card slot for (1) Type I, II, card with 32 bit card bus and support for zoomed video
- Built-in RJ-11 and RJ-45 jacks for integrated fax/modem and Ethernet
- USB 2.0 Connector for USB Peripherals
- 9 pin high speed serial port
- 68 pin multi I/O docking connector
- 15 pin external video (CRT) port
- External speaker and microphone jacks
- Optional Smart Card reader and PCI EXPRESS

Wireless LAN:

- Intel® PRO/Wireless 2915ABG network connections 802.11a/b/g

Integrated Wireless Communications (Options):

- Wireless WAN includes 1xRTT / EV-DO or GPRS/ EDGE
- Wireless LAN includes Intel PRO/Wireless 2915ABG;
- Bluetooth (various combinations available depending specific requirements)
- GPS is also available as a fully integrated option
- The GPS Quadrifilar Helix antenna is located in the top of the display housing to optimize GPS performance
- Up to 4 RF modems can be integrated at one time
- Common Radio Module Architecture



(CRMA) Express with fully integrated, rugged and user replaceable WWAN radio modules

- Supports PCMCIA in the PC Card Slot and OEM radio modules
- Engineered for minimum radio desense for maximum wireless coverage
- Superior wireless power management.

Integrated Wireline Communications:

- 56 Kbps V.92 fax/modem with 10/100/1000M bit Ethernet LAN standard
- Mini PCI performance/protected modem available for more demanding applications.

Power Supply:

- Smart 4400 mAh (47.52W) Lithium Ion main Battery & AC Adapter
- Battery life of 4-5. hours with user-selectable Battery Management utility
- Optional Smart 6600 mAh (71.2W) Lithium Ion main Battery pack upgrade.

Software:

- Microsoft Windows XP

Enhanced Security & Protection:

- Optional Fingerprint scanner
- Smart Card (CAC Card) Reader
- Kensington Lock
- SuperPassword
- Pre-boot Password

Warranty:

- 3 year warranty, with additional extensions available based on service parts

Dimensions & Weight:

- 1.7" (H) x 11.5" (W) x 9.8" (D) (4.32 cm. (H) x 29.21 cm. (W) x 24.89 cm. (D))
- 5.8lbs (2.63 kg)

Integrated Options:

- Bluetooth USI Class II Antenna
- GPS Module w/ Integrated Sarantel Antenna
- CRMA Express - CDMA (1xRTT/EV-DO)

- CRMA Express - GSM (GPRS/EDGE)
- CRMA Express - UMTS European

Pointing Device:

- 3-Button touch pad controls
- Optional touch screen

Accessories:

- Vehicle Cradle w/ RF Connectors
- Vehicle Cradle w/o RF Connectors
- Office Dock

- Standard Battery (6 cells)
- Extended Battery (9 cells)
- AC Adapter & Cord (65W)
- Vehicle Adapter - 12V (70W)
- Vehicle Adapter - 24V (70W)

- Soft Handle & Hardware Kit
- Shoulder Strap & Hardware Kit
- Office dock

- Vehicle dock with lock, power
- (2) USB Interfaces, and RF contacts for external vehicle-mounted antennas (the vehicle dock has more connections than are listed)

- Carry cases for system and accessories;
- NetMotion Mobility XE, providing seamless roaming connectivity.

Other Options:

- Express Card
- Smart Card Reader
- Stylish Hard Handle
- Fingerprint Scanner
- Custom Labels
- Custom Disk Image

Environmental Specifications:

- Die-cast magnesium for all structural components
- Operating temperature -20° to 60° C (-4° to 140° F) with optional hard drive heater
- Vibration per MIL-STD 810F, 514.5 and ASTM 4169-99 truck assurance level II, schedule E.
- 30" drop tested

GENERAL DYNAMICS

Itronix

USA: 12825 E. Mirabeau Parkway • Spokane Valley, WA 99216 • Tel: +1-800-441-1309, +1-509-624-6600 • Fax: +1-509-626-4203 • Email: sales@gd-computing.com • www.gd-computing.com
EMEA: Earplace Business Park, Fletchamstead Highway, Coventry, CV4 9UR UK • Tel: +44(0) 24 7671 4800 • Fax: +44(0) 24 7671 5677 • Email: sales@gd-computing.co.uk • www.gd-computing.co.uk
France: Parc d'Affaires Silic, 74 Rue d'Arcueil, BP 10405, 94573 RUNGIS Cedex, France • Tel: +33(0) 1 46 87 80 09 • Fax: +33(0) 1 45 60 55 95 • Email: ventes@gd-computing.fr • www.gd-computing.fr
Germany: Mergenthalerallee 79, 65760 Eschborn, Germany • Tel: +49 211 5 23 91 459 • Fax: +49 211 5 23 91 200 • Email: vertrieb@gd-computing.de • www.gd-computing.de
Canada: 2783 Thamesgate Dr., Mississauga, Ontario, L4T 1G5, Canada • Tel: +1-800-571-5434 • +1-905-672-7007 • Fax: 1-905-672-3999 • Email: sales@gd-computing.com • www.gd-computing.com
Asia: 5th Floor-2, No. 80, Chung-Hsiao East Road Sec. 2, Taipei 100, Taiwan • Tel: +866 2 2393 0660 • Fax: +886 2 2395 5256 • Email: sales@gd-computing.com.tw

© 2007 General Dynamics. All rights reserved. General Dynamics Itronix reserves the right to make changes in its products and specifications at anytime and without notice. All trademarks indicated as such herein are trademarks of General Dynamics or General Dynamics Itronix. All other product and service names are the property of their respective owners. © Reg. U.S. Pat. and Tm. Off. V.2 03/07 4T